


CITY OF DUNEDIN, FLORIDA

FENCE DESIGN STANDARDS - Sec. 105-26.1 (f)

FIGURE 1 - INTERIOR LOT




- FENCING CANNOT EXCEED 4' IN HEIGHT FORWARD (STREET SIDE) OF THE FRONT BUILDING LINES.
- FENCING CANNOT EXCEED 6' IN HEIGHT REAR OF THE FRONT BUILDING LINES.

CITY OF DUNEDIN, FLORIDA

FENCE DESIGN STANDARDS - Sec. 105-26.1 (f)

FIGURE 2 - CORNER LOT




- FENCING CANNOT EXCEED 4' IN HEIGHT FORWARD (STREET SIDE) OF THE FRONT OR SECONDARY FRONT BUILDING LINES.
- FENCING CANNOT EXCEED 6' IN HEIGHT REAR OF THE FRONT OR SECONDARY FRONT BUILDING LINES.
- FENCING CANNOT BE INSTALLED WITHIN THE 14.5' VISIBILITY TRIANGLE.

CITY OF DUNEDIN, FLORIDA

FENCE DESIGN STANDARDS - Sec. 105-26.1 (f) (g)

FIGURE 3 - LOT ABUTTING ST. JOSEPH'S SOUND OR NAMED LAKE



- FENCING CANNOT EXCEED 4' IN HEIGHT FORWARD (STREET SIDE) OF THE FRONT BUILDING LINES.
- FENCING CANNOT EXCEED 6' IN HEIGHT REAR OF THE FRONT BUILDING LINES.
- FENCING CANNOT EXCEED 4' IN HEIGHT & 50% OPACITY IN THE REAR & SIDE YARDS ABUTTING ST. JOSEPH'S SOUND OR A NAMED LAKE.